

Type SSP and LSP screed floor boards

Type SSP screed floor board

Cover panel	Chipboard P5, 16 mm (PEFC-certified)
Thermal insulation	Expanded rigid polystyrene foam (EPS), 15 kg/m³, 50–180 mm
Bonding	Water-resistant D3 (EN 204-D3)
Surface	Chipboard P5, untreated
Edge milling	Circumferential groove and tongue joint in the chipboard Circumferential rabbet in rigid polystyrene foam
Format	1180×610 mm (0.719 m ²)

Element thickness	mm	76	86	96	106	116	126	136	146	156	166	176	186	196
Thickness cover panel	mm	16	16	16	16	16	16	16	16	16	16	16	16	16
Thickness thermal insulation	mm	60	70	80	90	100	110	120	130	140	150	160	170	180
U-value	W/m²K	0.537	0.470	0.419	0.377	0.343	0.315	0.291	0.270	0.252	0.236	0.222	0.210	0.199
Weight	kg/pc.	8.9	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	10.0	10.1	10.2

Delivery	Delivery of exact quantity on single-use pallets wrapped with stretch film													
Number of boards per pallet	Pcs.	48	44	40	36	32	28	28	24	24	20	20	20	16
m ² per pallet	m ²	34.6	31.7	28.8	25.9	23.0	20.2	20.2	17.3	17.3	14.4	14.4	14.4	11.5

Type LSP screed floor board

Cover panel	Chipboard P5, 16 mm (PEFC-certified)
Thermal insulation	Expanded rigid polystyrene foam with graphite additive (EPS lambda), 20 kg/m³, 50–180 mm
Bonding	Water-resistant D3 (EN 204-D3)
Surface	Chipboard P5, untreated
Edge milling	Circumferential groove and tongue joint in the chipboard Circumferential rabbet in rigid polystyrene foam
Format	1180×610 mm (0.719 m ²)

Element thickness	mm	76	86	96	106	116	126	136	146	156	166	176	186	196
Thickness cover panel	mm	16	16	16	16	16	16	16	16	16	16	16	16	16
Thickness thermal insulation	mm	60	70	80	90	100	110	120	130	140	150	160	170	180
U-value	W/m²K	0.438	0.382	0.339	0.305	0.276	0.253	0.233	0.217	0.202	0.189	0.178	0.168	0.159
Weight	kg/pc.	9.1	9.2	9.4	9.5	9.7	9.8	10.0	10.1	10.2	10.4	10.5	10.7	10.8

Delivery	Delivery of exact quantity on single-use pallets wrapped with stretch film													
Number of boards per pallet	Pcs.	48	44	40	36	32	28	28	24	24	20	20	20	16
m ² per pallet	m ²	34.6	31.7	28.8	25.9	23.0	20.2	20.2	17.3	17.3	14.4	14.4	14.4	11.5